



BEARINGS ACCESSORIES IMPORTED LTD



6926ZZ Bearing 2D drawings and 3D CAD models

130,000 mm x 180,000 mm x 24,000 mm NTN
6926ZZ deep groove ball bearings

Bearing No. 6926ZZ

Size	130x180x24 mm
Bore Diameter	130,000 mm
Outer Diameter	180,000 mm
Width	24,000 mm
d	130,000 mm
D	180,000 mm
B	24,000 mm
C	24,000 mm
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	4547359588156
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	130MM Bore; 180MM



BEARINGS ACCESSORIES IMPORTED LTD

	Outside Diameter; 24MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features; C0-Medium Internal Clearance; St
Other Features	Deep Groove Shell Alvania Prelubricated
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.ntnamerica.com
Weight / LBS	3.395
Bore	5.118 Inch 130 Millimeter
Outer Race Width	0.945 Inch 24 Millimeter
Outside Diameter	7.087 Inch 180 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Manufacturer Item Number	6926ZZ/2AS
bore diameter:	130 mm
precision rating:	ISO Class 0
outside diameter:	180 mm
finish/coating:	Uncoated
overall width:	24 mm
bearing material:	High Carbon Chrome Steel
bore type:	Round
cage material:	Steel
closure type:	Double Shielded
inner ring width:	24 mm
row type & fill slot:	Single Row Non-Fill Slot
outer ring width:	24 mm



BEARINGS ACCESSORIES IMPORTED LTD

snap ring included:	Without Snap Ring
maximum rpm (grease):	3500 rpm
internal clearance:	CN
fillet radius:	1.5 mm
operating temperature range:	-40 to 120 ° C
maximum rpm:	3500 RPM
dynamic load capacity:	65000 N
series:	69
static load capacity:	67500 N
manufacturer product page:	Click here